State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

High Capacity, School or Wastewater Treatment Plan Well Approval Application

Form 3300-256 (R 7/05)

DEC 18 2013

Page 1 of 6

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well on system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

Applicant Information					
Application Prepared By (Name and Title)	Company				
JEFFHAUPT	HAUPTWELL DRILLING INC.				
Street Address	City / State ZIP Code				
P.O. BOX 136	AUBURNDALF WE 54412				
Telephone Number Fax Number	E-Mail Address				
715-652-2236 715-652-8	8014				
Property Ownership Information					
Property owner, if different than applicant (Name of Person and Title)	Company				
RAYMONDC. & LORIA. ROBERTS LIVING TRI	ST CONTACT : RAYMONDROBERTS				
Street Address	City State ZIP Code				
2006 COUNTY ROAD G	COLOMA WI 54930				
Telephone Number Fax Number	E-Mail Address				
608-296-2966					
Well Operator Information					
Well operator if different than owner (Name of Person and Title)	Company				
RAYMOND ROBERTS					
Street Address	City State ZIP Code				
2006 COUNTY ROAD G	(.OLOMA WI 54930				
Telephone Number Fax Number	E-Mail Address				
608-296-2966					
Property Information					
Enter the High Capacity Well File Number below if the property is already a					
property at the time of application, enter "NONE." NOTE: Find the file number use the compact disk of departmental well data that is issued to drillers a	per in upper right hand corner of the most recent high capacity well approval,				
"Location" section. File number format is as follows: (1 or 2 digits for county					
County	High Capacity Well File No.				
ARAMS LINCOL	N 01-10-9999				
Submittal Purpose	•				
Check all that apply:					
Install one or more new wells with a capacity greater than 70 g	allons per minute.				
Install one or more new wells with a capacity less than 70 gallo	ons per minute on a high capacity property.				
Replace one or more wells with a capacity greater than 70 galle	ons per minute.				
Replace one or more wells with a capacity less than 70 gallons	per minute on a high capacity property.				
Reconstruct one or more wells with a capacity greater than 70 gallons per minute.					
Reconstruct one or more wells with a capacity less than 70 gall	Reconstruct one or more wells with a capacity less than 70 gallons per minute on a high capacity property.				
Increase pumping rate in one or more wells to a rate greater th	an previously approved.				
Request continued operation of high capacity wells after a change in ownership. (No application fee required.) Renew a previous approval that has expired. # NZ 192 - Low CAP ON HI CAP					
Renew a previous approval that has expired.					
Well (or wells) will serve a school or wastewater treatment plan	nt. See definitions on page 5. PROPERTY				
Other, explain	9 199				

Form 3300-256 (R 7/05)

Page 2 of 6

Site Status Information

Determine the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers
and the information supplied by the property owner. Internet address is dnr.wi.gov/org/water/dwg/dws.htm. Enter YES or NO for each
of the following questions.

YES	MO MO	Has the property boundary changed since the most recent high capacity well approval was issued? If the property is not yet a high capacity property, check NO.					
	X	Has there been a change in well ownership since the last approval was written? If YES, name of current owner: Date of purchase:					
	X	Has there been a change in well operator since the last approval was written? If YES, name of current operator: Date of change:					
	M	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.					
	×	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections. If YES, list the landfill site ID Number: OR Landfill location: (Township/Range/Section)					
	X	Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here and specify if the site is open or closed:					
	×	Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:					
	X	Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts . If YES, list the BRRTS Number here:					
	X	Is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public water system" in the definitions section on page 5.					
	X	Is a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.					
	X	Has the number of wells or pumping capacity in an existing well increased since the most recent high capacity well approval was issued?					
	X	Has the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high capacity property, check NO.					
	X	Is a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use?					
	X	Will the well discharge directly to a storage pond?					
		Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?					
	X	Is a proposed well within 1,200 feet of a quarry?					
	M	Is a proposed well located in a floodplain or floodway?					
	X	Are any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Administrative Code?					
	X	Will the well be used as a source of bottled water?					
X		Are you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well construction standards?					
	X	Is the property served by a community water system?					

Existing Well Information							
Enter the following information on	all existing wells on the	property, if m	ore than fou	r wells, submit	t additional s	sheets:	
Well Name Assigned by Well Owner (North Well, etc.):							
Well Number Assigned by Owner (001, 002, etc.):							
WI Unique Well Number or NA if no number:	NZ 192						
Permanent DNR High Capacity Well Number or N/A if none:	69271				***************************************		
Public Water System ID Number, if Public (if not public, NONE):	NONE						
Potable or Non-Potable Use:	POTABLE						
Type of Well (Irrigation, Industrial, Residential, etc.):	TANK FILL						
Requested Average Water Usage per Day in Gallons:	50				1		
Requested Maximum Water Usage per Day in Gallons:	1000						
Seasonal? (April to October, Year Around, etc.):	APRIL- OCTOBER						
Approved Pumping Capacity if Previously Approved (gpm):							
Current Pump Type & Capacity (gpm):	SUBMERSIBLE 15						
Proposed Pump Type & Capacity If Change Requested (gpm):	-						
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):	PITLESS						
Discharge Location (Building Pressure Tank, Pond, etc.):	BURIED PRESSURE TANK						
Height of Well Casing Above Ground in Inches:	14"						
Potential Contaminant Sources and Distance:							
Well Loc: Quarter Quarter Section	NE 1/4 of SW1/4	1/4	of 1/4	1/4 c	of 1/4	1/4 (of 1/4
or Government Lot Number			· · · · · · · · · · · · · · · · · · ·				····
Section or French Long Lot No.	1						
Township:	т 17 м	Т	N	Т	N	Т	N
Range (Select E or W):		R	□E □w		□E □w	<u> </u>	ПЕПи
Latitude (Degrees and Minutes)	43.58.231	0		0	1		<u> </u>
Longitude (Degrees and Minutes)	89.36481	,		0		,	 ,
GPS Map Datum (WGS84,			'				
WTM91, etc.) Include as much of the following inform well construction record is attached, a	nation as practical for wells the	hat do not have	e well construc	 ction records att	ached to the	 application, ho	wever if the
Date of Construction:	04-10-2001		•	I			
Drilled by (Name of Drilling Firm):	THOMAS ROOS						
Drilling Method(s) (Rotary, Percussion, Etc.)	ROTARY						
Well Depth in Feet:	200						
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet:	10 inches, 35 feet	inches,	feet	inches.	feet	inches	foot
Lower Drillhole Diameter in Inches and Depth in Feet:	6 inches, 200 feet	inches,			_	inches,	feet
Well Casing Diameter in Inches and Depth in Feet:	6 inches, 35 feet	inches,	feet	inches,	feet feet	inches, inches,	feet feet
Well Casing Material and Wall Thickness:	A53B ,280	mores,	1661	mones,	1001	moles,	icet
Annular Space Material Between Casing and Drillhole Wall:	NEATCEMENT						
Is There a Well Screen (Y or N) If so, Screen Material?:	(N)						
	: 🔾 🛶	L		<u>i</u>		l .	

Proposed Well Information		
Enter the following information on all	proposed wells on the property, if more than two wells	s or alternate construction, submit additional sheets:
Well Name Assigned by Well Owner (North Well, etc.):	IRRIGATION	NEW HOUSE
Well Number Assigned by Owner (001, 002, etc.):		
Well Loc: Quarter Quarter Section or French Long Lot Number	NE 1/4 of SW 1/4 of Section	SE 1/4 of NW 1/4 of Section /
or Government Lot Number		
Township & Range (Select E or W)	T 17 N.R 7 🔀 E 🗆 W	t 17 N.R 7 ⊠E □W
Latitude (Degrees and Minutes)	43 • 58234 •	43 · 58470
Longitude (Degrees and Minutes)	_89 · 36500	89 . 36.540
GPS Map Datum (WGS84, WTM91, etc.)		
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: / RRIGATION Potable	Type: RESIDENTIAL Non-Potable
Drilling Method(s) (Rotary, Percussion, Etc.):	MUD/AIR ROTARY	ROTARY
	pepths that Are Expected During Drilling:	CAN 0 C 1 11
Material and Depth Interval:	SAND & CLAY from 0' to 25	SAND CLAY from 0 to 25
Material and Depth Interval:	SANDROCK from 25 to 300.	SANDROCK from 25 to 150
Material and Depth Interval:	from ¹ to '	from ' to '
Material and Depth Interval:	from ' to '	from ' to '
Material and Depth Interval:	from ' to '	from ' to '
Drillhole Diameter and Anticipated Dep Diameter and Depth Interval:		0"
Diameter and Depth Interval:		from 0 to 40 to 150 to
Diameter and Depth Interval:	from ' to ' nd Wall Thickness at Anticipated Depth Intervals:	from 'to '
Diameter and Wall Thickness		1/25 200 40
at Depth Interval: Diameter and Wall Thickness	16 "diam/. 250 " thick 0' to 40 .	6.625diam/ e 230 " thick 0' to 40 .
at Depth Interval:	" diam/ " thick ' to '	" diam/ " thick ' to '
Permanent Casing or Liner Material , It		pp
Casing Joints (Welded, T and C, etc.)	WELDED	MELDED
Material and Weight at Depth Interval:	A538 , 42 lbs/foot 0' to 40.	A53B/18976s/foot 0' to 40.
Material and Weight		
at Depth Interval: Screen Material, Slot Size in Inches	/ Ibs/foot to .	/ Ibs/foot 'to '
and Depth Interval or N/A if none: Casing to Screen Joint (Welded, T		N/A / "/ to ·
and C, K Packer, etc.)	N/A	NA
Annular Space Material Including Filter		a depart of the Ad has a support
Material and Depth Interval:	NEAT CEMENT / 0. 10 40.	NEAT CEMENT 0' to 40'
Material and Depth Interval: Proposed Average Water Usage Per	/ ' to '	/ ' to '
Day in Gallons:	576.000	150
Proposed Maximum Water Usage Per Day in Gallons:	1.152.000	300
Seasonal? (April to October, Year	APRIL - OCTOBER	YEAR AROUND
Around, etc.): Proposed Pump Type & Capacity		(EAN MOUND
(gpm):	LINESHAFT TURBINE (800)	SUBMERSIBLE (15)
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	OVER TOP OF CASING SEAL	PITLESS ADAPTER
Discharge Location (Building Pressure Tank, Pond, etc.): Distance and Direction to Nearest	10 CENTER PIVOT SYSTEM	BUILDING PRESSURE TANK
Public Utility Well & Well Name:	~6/2 MILES NE TO COLOMA	~6/2 MILES NE TO COLOM
Distance to Other Potential Contaminant Sources:		
Distance to Other Potential Contaminant Sources:		
Leave Blank, for Department use only		

Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a
 Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
 - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
 - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print	Check Box					
JEFF HAUPT	Owner Agent of the Owner					
Jeff Haupt	HAUPTWELL DRILLING INC.	Date 12/16	2013			
Application submittal, Mail completed application and payr Section - DG/2 PO Box 7921, Madison WI 53707-7921. Definitions from Wisconsin Administrative Codes	ment with all required attachments to DNR, Private t	Water Systems	5			
"High consolity wall! mappe a wall constructed as a bish as	it					

"High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]


"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]



PROPOSED HI CAP 400 NEARBY EXISTING WELL # NZ 192 PROPOSED NEW LO CAP RESIDENTIAL WELL

TOWN OF LINCOLN

Zoning Administrator THOMAS SWADISH

Building Permits

(608) 339-7803

350 Dyke Avenue Grand Marsh, Wisconsin 53936



www.rockfordmap.com

-

Ш

d

0

M

工

H

Ш

200 300

Visit Us On The Internet!